



TECHNICAL DATA

		C 250 H M206	C 250 H x4 M207
GENERAL			
Load capacity to 500 mm	Kg	2500	2500
Load capacity to 600 mm	Kg	2295	2295
Unladen weight *	Kg	4400	4400
Transmission		Hydrostatic, with continuous speed control	Hydrostatic, with continuous speed control
MAST			
Fork carriage		FEM 2	FEM 2
Carriage width	mm	1260/1660	1260/1660
ENGINE			
Make		KUBOTA	KUBOTA
Model		V2403	V2403
Power	kW	36,5	36,5
Operating speed	rpm	2600	2600
Torque	Nm@rpm	158,6@1600	158,6@1600
No. cylinders		4	4
Emissions		Tier4i, Stage IIIA	Tier4i, Stage IIIA
Ambient noise	dB(A)	104	104
Consumption	l/h	5,9	5,9
CO ₂	Kg/h	15,3	15,3
DRIVING			
Max. speed	Km/h	22	22
Gradability	%	25	25
Traction		4x2	4x4 FullGrip®
Front tyres		12.5/80-18	12.5/80-18
Rear tyres		7.00-12	10.0/75-15.3
HYDRAULIC SYSTEM			
Hydraulic circuit	l/min	42	42
Working pressure	bar	210	210
TANK CAPACITY			
Fuel	l	50	50
Hydraulic	l	40	40
BRAKES			
Service		Hydraulic, multi-disc and sealed	Hydraulic, multi-disc and sealed
Parking		Mechanical, multi-disc and sealed	Mechanical, multi-disc and sealed

* It may change due to optional equipment

DIMENSIONS

TYPE OF MAST	Maximum lift (mm)	H		Free lift (mm)	Load at maximum height (kg) All-terrain use	
		Retracted mast height (mm)	Extended mast height (mm)		Narrow axle	Wide axle
Duplex mast (Std.)	3300	2460	4215	120	2500	-
Triplex mast	3700	2120	4665	1130	2200	-
Triplex mast	4300	2300	5300	1330	-	2100
Triplex mast	5400	2685	6370	1680	-	1100



DIMENSIONS (mm)	C 250 H	C 250 H x4
A	2140	2175
B	250	270
C	370	355
D	1383	1547
E	1520	1520
E**	1780	1780
F	2950	3970
G	2755	2785
I	130	130
J	45	45
K	625	645
L	4250	4265
M	575	570
N	1850	1850
O	1200	1200
P	4975	6015
Q	12	12
R	12	12
S	1200	1200
S***	1600	1600

** Measured with high-lift mast installed carriage
 ***Measured for wide axle



Products are subject to modifications without prior notice. Images throughout the spec sheet may refer to non-standard machines or non-available configurations depending on models.

AUSA's logo and corporate identity are property of the Company, they cannot be used without authorization.