
pktrucks.com

Mobile workshop unit, lubrication and cleaning equipment



1. OPERATIONS

Personnel bodywork designed for maintenance and repair vehicles, trucks and equipment.

2. **BODY CHARACTERISTICS**:

APPROX. DIMENSIONS:

External Length: 5700 mm
External Width: 2450 mm
Internal height: 2200 mm

- ☐ Structure of the body, sub frame and cross members of the platform made of steel ☐ Floor made of chequered steel 3/5 mm, S235JR.
- ☐ Roof and front made sandwich panel (PRFV/XPS/PRFV)

	The In	ninium drop sides – for access to workshop, two drop side on each lateral of the right drop sides is lined with antislip aluminium sheet of With le foot step for easy access		
	Reinfo	orced chains to support drop side when are folded		
	Aluminium ladder for access to platform and body,			
	4 aluminium upper flaps – two on each lateral \circ Heavy duty Gas spring to mainta the door open \circ Belt / tape to help closing the drop side \circ Water drainage profile on upper side			
-	Rear	part with 1 aluminium drop side and 1 aluminium upper flap		
Ele	ectric ins	stallation:		
-	- 24V system connected to electrical system of the vehicle ○ 2 work lights on upper rear frame with switch ○ 4 units 1200 X 300 MM LED light 230V − ceiling lights ○ 2 unit Led ceiling light 24V ○ 1 double sockets 230 V / 16 A inside ○ 3 single socket 400 V / 16 A inside ○ 2 single socket 400 V / 16 A inside the shelter ○ 1 SWITCHGEAR (Electric panel SIEMENS) ○ Grounding and cable for grounding			
		Barrel clamp		
		Support for barrels and tanks (barrels not included)		
		Supports for all lubrication equipment (hose reel, tanks, pumps)		
		Rubber foot mounts for barrels (32 units, 4 units for barrel)		
		Removable lids with cork gaskets		
		3 units Silver filler breathers with mesh for the water, coolant and old oil tanks ☐ Waste oil portable tray : 15l & 8l		
		High pressure water jet cleaner machine (BRAND KÄRCHER) with support.		

4 hydraulically driven gear pumps 18 lpm, for oil (Brand MATO), equipped with 4 hose reel (15m), 4 dispenser guns and digital meters. Pumps suitable for 200 l barrel (barrel not supplied).

Lockable filler cap with mesh baskets and Donaldson non spill breathers for oil barrel (barrel not supplied).

- ☐ **1 hydraulically driven gear pump 15lpm, for coolant**, (Brand Mato), hose reel complete, 15m, with 1 dispenser gun and 1 digital meter. Silver filler breathers with mesh.
- □ Water Tank 600 I (BRAND SCHUTZ)
 One electric water pump (EINHELL) with 1 hose reel (10m) and 1 dispenser gun.
- ☐ Waste oil tank made of steel, capacity 500 l

1 Waste oil double Diaphragm Pump

With 1 hose reel (15m) and 1 dispenser gun (Brand Mato). Pump suitable for 200 l barrel (barrel not supplied) \circ A crossover valve setup will be provided to switch between suction and delivery. \circ The grease functions: \circ 1 x 50:1 pneumatic grease pumps \circ 1 x drum covers and follower plates

- 1 x 20m, 3/8" hose reels c/w grease controls and z-swivels
- ☐ The hydraulic system will have a return oil filter and oil cooler to cool the hydraulic oil while the service unit is being used.
- ☐ **Diesel tank 1000 I** (BRAND CEMO) (PUMP 24V) with hose reel 15 m, 1 dispenser gun and 1 digital meter flow.



*Example of hose reel support

☐ Compressor ABAC, 3HP 400V/230V

1 air hose reel (10m) with 1 dispenser gun Air Filtering and Lubrication

☐ **Electric winch** – Einhell 230V. Capacity 500 kg and manual CRANE.

5. CABINETS AND DRAWERS

- 1 WORK TABLE WITH 3 DRAWERS CABINET, LOCKABLE DRAWERS (BRAND ZELENKA)
- 1 CABINET 1200 X 400 X 500 mm, LOCKABLE DOOR. (BRAND ZELENKA)

6. OTHER ACCESSORIES INCLUDED:

_		
п	N 4	Flaps
11	חוואו	Flans
	IVIUU	TIGOS

- ☐ Rear head lights
- □ rotating beacon light
- ☐ Work lamp
- ☐ First Aid Kit
- ☐ Water tank 30l, with soap dish
- ☐ Anchoring rings on floor to ensure load (8 units) ☐ 2 units Fire Extinguisher 9 kg.
- ☐ Measuring jug
- ☐ Flexible Funnel

6.1 GENERATING SET

BRAND: HYUNDAI DHY12000XSET 11,4kVA (400V) /9Kw (230V), 30I, 50Hz, 72dB



6.2 TOOLS:

- $\circ~$ 1 PORTABLE HANDLAMP 5m $\circ~$ BARREL WRENCH TIPE I AND II $\circ~$ PLUG EXTENSION CORD 25 m $\circ~$ VICE 100 mm
- o TOOL BOX with tools metallic, 500 mm
- Flat screw drivers (dimensions: 3x150 mm, 2x150 mm, 6.5x200mm, 5.5x125m, 4x100mm, 3x80mm)
 Socket

wrench tools (10 to 32 mm) \circ Hummer

- Trimmer Ring spanner
- o Ratchet Head

7.3 SPARE WHEEL HOLDER INSIDE WORKSHOP