

Mercedes Benz Actros 2631 6x4 with schwing concrete pump S36X

Paint

LA1 9147 Arctic white

Axle load distribution

TR5 Weight variant 27.5 t (7.5/10.0/10.0)

Engine

MX1 Engine, V6, LA, 230kW (313 hp), 1800 rpm
MS0 Engine version, Euro II'
M97 Air intake, from front
M78 Engine number, stamped in
MA9 Engine mountings, for off road use

Clutch & Transmission

G81 Clutch, reinforced
GC3 Transmission G 210-16/14.2-0.83
N55 Transmission oil cooling
NG8 PTO flange, with cross serrations, D=120mm
GS3 Gearshift, hydraulic
N56 PTO, live, MB, 1.4
NK7 Gearshift interlock, live PTO (NMV)

Axles & suspension

A57 Front axle, offset
AL3 Front axle 7.5 t
AM4 Raer axle H7, 13,0 t crown wheel 233
AP6 Axle ratio I = 4.143 (HL7)
QC4 Front spring 7.5 t
QE2 Rear spring, 2 x 9.5 t, hard
C42 Stabileser, rear axle, under frame

Wheels & tyres

R38 15 degree tapered rims, 9.00 x 22,5
R04 Wheel nut cap

Frame and components attached to frame

CL9 Steering LS6?LS 8
KS2 Main tank, 300l, steel
K40 Tank-cao lock
K45 Screen, tank filter neck
KH7 Exhaust silencer with tailpipe, side, outwards
P44 Wing, for chassis transit
C63 Bumper, steel version
YA8 Deletion, front apron
C95 Deletion, rear underride guard (EC)
Q29 Trailer/ tow-away coupling (EC)
Q36 Trailer coupling G 150
Q18 End crossmember, bolted

Brake system

BB5	Disc brakes on front and rear axle
BB8	Telligent braking system with ABS and ASR
B65	Compressed air dryer, heated
B43	Brake connection, 2 line, behind cab

Cab exterior

F05	M-cab
F24	Cab rear wall, straight
F35	Cab rear wall with window
FL6	Cab mountings, standard
FL3	Cab mountings, rear, reinforced
FM2	Windows, tinted, with sun filter
D25	Roof hatch/ vent, roof
FE6	Cab steps, movable
FS2	Wide -angle exterior mirror on front passenger side
FX7	Front mirror, aerodynamic
F52	Sun visor, exterior, transparent
FZ7	Immobiliser, with transponder

Cab interior

SG5	Driver's standard suspension seat, isringhausen
SF0	Fold-up seat, co driver
J58	Warning device for seats belts
FN1	Distribution cockpit
FE5	Power wondows for driver's // co -driver's door
JK3	Ins. Cluster, graphics-capable sisplay, eco-meter
J10	Speedometer, km
JW0	Reversing warning device
EV6	Provision, 12V radio, retrofit
EV2	Provision for fitting CB radio
EV5	Provision for fitting telephone and fax
ET1	Voltage transformer, 24V/ 12 V, 8A
HF1	Construction site filter
H03	Air conditioning system

Electrics / electronics

EB3	Batteries, 2x 12V/220 Ah, low maintenance
E84	Battery box, lockable
M45	Alternator 28V/100A
EM8	PSm, body and trailer CAN, ISO 11992
EC6	Trailer socket, 15 pin
MD4	Speed limiter 90 Km/h
MD9	Cruise control

Additional scopes

XW9	Deletion, noise reduction measures
Y10	First aid kit
Y16	Fire extinguisher
Y44	Hazard warning triangle
Y45	Warning lamp
Y20	Tool kit – export
Y34	Tyre inflating hose, 10m
Y42	Telescopic jack, 12t
Y28	2 wheel chocks
XK3	Powertrain warranty, gen. Terms/Con, 3 yrs/250.000
XV6	Actros 3
X42	Labels/publications, English
X53	Publications, Arabic, additional
ZZ3	Vehicle, for right-side traffic