

## MERCEDES-BENZ Atego 1017-A 4x4 - NEW

Tires 1	202K41210
Tires 2	202K41310
LA1	1623
B43	Trailer brakes 2-lines
BB6	Drum brakes on front axle and rear axle
C42	Stabilizer rear axle under frame
C95	Deletion of EC under-ride guard rear
CC9	Omission of lateral protection
CL6	Steering LS 4
D25	Roof hatch/vent
E21	Battery(ies) higher voltage
E39	Automatic fuses
EC6	Trailer socket 15-pole
ES5	Additional socket 12 V / 15A in cab, waist rail
F07	Cab S (standard = short)
F30	Hydraulic for cab
F52	Sun visor, exterior, transparent
FL3	Reinforced spring strut bearing
FN1	Straight instrument panel support, short, hard
FQ7	Stowage facility above windscreen, 2 compartments
FS9	Mirror on driver's side, electrically adjustable
FW2	Deletion of immobilizer (transponder)
FX7	Front mirror, aerodynamic
FZ9	Additional keys or remote-control transmitter
GC5	Transmission G 60-6/9.2-1.0
GS1	Gearshift, manual
GV5	Transfer case VG550 - 3W
GZ7	Coupling supplier F&S
H03	Air conditioning system
HF1	Construction site filter
I34	Tires 12.00 R 20 VA/NLA
IA1	Axles 4x4
IP6	Wheelbase 3260 mm
IU5	10,5 tonner
IX4	Straight engine, 4 cylinder
IY2	Hydraulic fluid, Pentosin CHF 11 S

J10	Speedometer km
JK3	Instrument cluster, graphics-capable display, eco-meter
JM1	Speed indicator km/h + mph
JW0	Reversing warner
K40	Tank-cap lock
K45	Fuel filter screen in filler neck
K83	Main tank, 125 l, plastic
KJ1	Main silencer, right, side, on frame
KK81	Fuel pre-filter heated, water separator
L30	Protective grille for headlamps
L72	Electric system for non-DB body
M45	Alternator 28 V / 100 A
MB1	Exhaust brake, with constantly open throttle valve
MD4	Speed limiter, 90 km/h, EC
MJ6	Engine start/stop system
MN3	Engine, 4-cylinder in-line, LA, 125 kW, 2300 rpm
MS0	Engine version, Euro 2
P44	Mudguards for transfer of chassis
Q92	Cross member for G-135
QH4	Rear springs 6,2 t, Parabolic
QN5	Front springs 4,4 t, Parabolic
R04	Wheel nut cap
R84	Advanced rims 8,5-20 for single tires
R87	Drop center rims FA 22.5 x 9.00
S07	Co-driver's seat, static, Isringhausen
SG5	Driver standard seat, Isringhausen
TC1	Weight variant 10,5 t (4,4/6,2)
X43	Plates / booklets French
X57	Noise measures, EG 96/20
X93	Deletion model number
XK3	Powertrain warranty, Gen. Terms/Con., 3 years, 250000 km
XR6	Trim & Colour
XV0	Global cockpit
XV8	Atego 2, New
Y10	First aid kit
Y11	Jacks
Y16	Fire extinguisher
Y34	Tire inflating hose 10 m
Y44	Hazard warning triangle

Y45	Warning lamp
Z60	CTT-vehicle, conversion in Worth
Z99	Copywriting
ZS1	CTT-vehicle, conversion preparation
ZX1	Controller, Common Powertrain Control (CPC)
ZZ3	Right side traffic